

# Leicestershire Joint Health and Wellbeing Strategy (2022-2032) Performance Dashboards

**Updated: February 2022**

# Leicestershire Joint Health and Wellbeing Strategy - Best Start for Life (1)

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied).

Indicator					Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
E01 - Infant mortality rate	P	<1 yr	2018 - 20		3.3	6/15	1.9	5.1	3.9	—	●
1001 Critical Days	A&E attendances (under 1 year)	P	<1 yr	2018/19	1,162.1	16/16	499.0	1,162.1	957.4	▲	●
		F	<1 yr	2018/19	1,061.5	16/16	443.9	1,061.5	873.0	—	●
		M	<1 yr	2018/19	1,251.7	16/16	550.8	1,251.7	1,028.8	—	●
	C04 - Low birth weight of term babies	P	>=37 weeks g..	2020	2.2	6/16	2.0	2.9	2.9	▶	●
	C06 - Smoking status at time of delivery	F	All ages	2020/21	10.5	9/16	6.8	13.8	9.6	▶	●
	C07 - Proportion of New Birth Visits (NBVs) completed within ..	P	<14 days	2020/21	86.8	11/16	97.3	78.2	88.0	—	●
	Caesarean section %	F	All ages	2019/20	31.8	13/16	25.2	32.5	30.1	—	●
	D03c - Population vaccination coverage - Dtap / IPV / Hib (1 ye..	P	1 yr	2020/21	96.3	2/16	96.3	93.8	92.0	▼	●
	Neonatal mortality and stillbirth rate	P	<28 days	2019	5.8	12/16	3.9	9.9	6.6	▶	●
School Readiness	B02a - School readiness: percentage of children achieving a good level of development at the end of Reception	P	5 yrs	2018/19	72.1	6/16	77.0	70.5	71.8	▲	●
		F	5 yrs	2018/19	78.6	8/16	83.1	77.3	78.4	▲	●
		M	5 yrs	2018/19	65.7	8/16	71.2	62.7	65.5	▲	●
	B02a - School Readiness: percentage of children with free school meal status achieving a good level of development at the end of Reception	P	5 yrs	2018/19	48.7	15/16	57.6	47.5	56.5	▲	●
		F	5 yrs	2018/19	57.5	13/16	65.4	56.0	64.5	▶	●
		M	5 yrs	2018/19	40.1	14/16	50.7	37.9	48.9	▶	●
	C08a - Child development: percentage of children achieving a ..	P	2-2.5 yrs	2020/21	70.3	15/15	91.6	70.3	82.9	—	●
	C09a - Reception: Prevalence of overweight (including obesity)	P	4-5 yrs	2019/20	19.0	3/15	18.6	26.1	23.0	▼	●
	C09b - Year 6: Prevalence of overweight (including obesity)	P	10-11 yrs	2019/20	30.6	4/15	28.8	33.8	35.2	▶	●
C08b - Child development: percentage of children achieving th..	P	2-2.5 yrs	2020/21	78.3	14/15	95.4	74.0	86.8	—	●	
C08c - Child development: percentage of children achieving th..	P	2-2.5 yrs	2020/21	78.8	14/14	97.1	78.8	90.2	—	●	

Statistical Significance compared to England or Benchmark:

- Better
- Worse
- Higher
- Similar
- Not compared
- Lower

Direction of Travel:

- ▼ Decreasing
- ▼ Decreasing and getting better
- ▼ Decreasing and getting worse
- ▲ Increasing
- ▲ Increasing and getting better
- ▲ Increasing and getting worse
- ▶ No significant change
- Cannot be calculated

## Leicestershire Joint Health and Wellbeing Strategy - Best Start for Life (2)

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied).

Indicator					Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
Preparing for Life	28 - Average Attainment 8 score	P	15-16 yrs	2019/20	50.7	7/16	52.5	48.5	50.2	■	●
	A&E attendances (<18)	P	<18 yrs	2018/19	435.8	15/16	277.3	478.1	422.2	▲	●
		F	<18 yrs	2018/19	413.1	15/16	263.7	458.4	395.8	■	●
		M	<18 yrs	2018/19	457.1	14/16	290.4	497.0	442.1	■	●
	A&E attendances aged under 5 years old, crude rate	P	0-4 yrs	2017/18 - 19/..	683.2	15/15	383.2	683.2	642.5	■	●
	B05 - 16-17 year olds not in education, employment or training (NEET) or whose activity is not known	P	16-17 yrs	2020	4.7	9/16	3.2	13.8	5.5	▶	●
		F	16-17 yrs	2020	3.3	5/16	2.4	11.7	4.6	▶	●
		M	16-17 yrs	2020	4.6	7/16	3.6	13.8	6.3	▶	●
	C02a - Under 18s conception rate / 1,000	F	<18 yrs	2019	13.3	9/15	10.0	16.1	15.7	▶	●
	Children in care	P	<18 yrs	2020	46.0	3/16	34.0	72.0	67.0	▲	●
	Hospital admissions as a result of self-harm (10-24 years)	P	10-24 yrs	2019/20	255.7	1/16	255.7	905.7	439.2	▼	●
		F	10-24 yrs	2019/20	404.7	1/16	404.7	1,466.7	694.8	▶	●
		M	10-24 yrs	2019/20	120.5	1/16	120.5	387.1	196.6	▶	●
	School pupils with social, emotional and mental health needs: % of school pupils with social, emotional and mental health needs	P	Primary schoo..	2020	2.3	7/16	1.6	3.1	2.4	▲	●
			School age	2020	2.2	3/16	1.9	3.3	2.7	▲	●
		Secondary sch..	2020	2.1	3/16	1.7	3.4	2.7	▲	●	
D04e - Population vaccination coverage - HPV vaccination coverage for one dose (12-13 years old)	F	12-13 yrs	2019/20	84.7	4/16	94.8	2.6	59.2	▼	●	
	M	12-13 yrs	2019/20	78.7	5/16	88.5	2.0	54.4	■	●	








Statistical Significance compared to England or Benchmark:

■ Better  
■ Worse  
■ Higher  
■ Similar  
■ Not compared  
■ Lower

Direction of Travel:

▼ Decreasing  
▼ Decreasing and getting better  
▼ Decreasing and getting worse  
▲ Increasing  
▲ Increasing and getting better  
▲ Increasing and getting worse  
▶ No significant change  
■ Cannot be calculated

## Leicestershire Joint Health and Wellbeing Strategy - Best Start For Life (3)

Priority	Indicator	Time period	Polarity	Leicestershire value	National or benchmark value	Unit	Comments	Direction of travel since last time period
School readiness	Percentage of 2 year old children benefitting from funded early education	Dec-21	High	77.6	Null	%	Null	
	Percentage of pupils with SEN or EHC Plan (Primary)	2021	Low	2.2	2.1	%	Higher than national	
Preparing for Life	Covid vaccination uptake 12-15 year olds - Dose 1	Jan-22	High	59.9	53.8	%	Higher than national	
	Covid vaccination uptake 16-17 year olds - Dose 1	Jan-22	High	76.5	66.6	%	Higher than national	
	Emergency admissions for children with lower respiratory tract infections (LRTIs)	19/20	Low	375.5	504.7	rate per 100,000 pop	Lower than national	
	Tooth extractions due to decay for children admitted as inpatients to hospital, aged 10 years and under	19/20	Low	29	388.0	rate per 100,000 pop	Lower than national	
	Unplanned hospitalisation for asthma, diabetes and epilepsy in under 19s	19/20	Low	209.5	269.8	rate per 100,000 pop	Lower than national	

Direction of travel Key:

 Decrease

 Increase

 N/A

Produced by Business Intelligence Service. Updated February 2022.

# Leicestershire Joint Health and Wellbeing Strategy - Staying Healthy, Safe and Well (1)

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied).

Indicator					Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
Building Strong Foundations	B06b - Adults in contact with secondary mental health services who live in stable and appropriate accommodation	P	18-69 yrs	2020/21	46.0	12/15	81.0	25.0	58.0	▬	●
		F	18-69 yrs	2020/21	48.0	12/15	83.0	25.0	59.0	▬	●
		M	18-69 yrs	2020/21	45.0	12/15	78.0	25.0	56.0	▬	●
	B09b - Sickness absence - the percentage of working days lost due to sickness absence	P	16+ yrs	2018 - 20	1.0	9/16	0.6	1.5	1.0	▬	●
	B15a - Homelessness - households owed a duty under the Homelessness Reduction Act	P	Not applicable	2020/21	6.8	4/15	4.6	13.3	11.3	▬	●
	Child Poverty, Income deprivation affecting children index (IDACI)	P	<16 yrs	2019	10.6	4/15	9.9	15.5	17.1	▬	●
Percentage of adults walking for travel at least three days per week	P	16+ yrs	2019/20	11.7	10/16	15.4	10.4	15.1	▬	●	
Air pollution: fine particulate matter		N/A	Not applicable	2020	6.5	9/16	4.9	7.3	6.9	▬	●
Building Strong Foundations	B08c - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate	P	18-69 yrs	2019/20	74.5	14/16	45.9	75.4	67.2	▬	●
		F	18-69 yrs	2019/20	70.7	15/16	40.4	71.5	61.2	▬	●
		M	18-69 yrs	2019/20	77.4	13/16	51.7	79.5	72.2	▬	●
	B08d - Percentage of people in employment	P	16-64 yrs	2020/21	76.9	7/15	79.3	72.6	75.1	▶	●
		F	16-64 yrs	2020/21	74.2	7/15	78.5	68.6	71.8	▶	●
		M	16-64 yrs	2020/21	79.5	10/15	84.7	75.0	78.5	▶	●
	B12b - Violent crime - violence offences per 1,000 population	P	All ages	2020/21	22.3	9/15	18.7	33.6	29.5	▲	●
	B17 - Fuel poverty (low income, high cost methodology)	N/A	Not applicable	2018	9.4	6/16	6.8	10.7	10.3	▶	●
Percentage of adults cycling for travel at least three days per ..	P	16+ yrs	2019/20	2.3	4/16	7.4	1.0	2.3	▬	●	

Statistical Significance compared to England or Benchmark:

■ Better  
■ Worse  
■ Higher  
■ Similar  
■ Not compared  
■ Lower

Direction of Travel:

▼ Decreasing  
▼ Decreasing and getting better  
▼ Decreasing and getting worse  
▲ Increasing  
▲ Increasing and getting better  
▲ Increasing and getting worse  
▶ No significant change  
▬ Cannot be calculated

## Leicestershire Joint Health and Wellbeing Strategy - Staying Healthy, Safe and Well (2)

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied).

Indicator					Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG	
C19a - Successful completion of drug treatment - opiate users	P	18+ yrs	2020		6.7	3/16	9.5	4.0	4.7			
C24a - Cancer screening coverage - breast cancer	F	53-70 yrs	2021		64.9	11/15	73.1	58.7	64.1			
C26b - Cumulative percentage of the eligible population aged ..	P	40-74 yrs	2016/17 - 20/..		49.8	5/16	62.2	33.2	46.5			
Over 25s abortion rate / 1000	F	25+ yrs	2020		14.1	6/16	12.1	19.2	17.6			
Enabling Healthy Choices and Environments	B19 - Loneliness: Percentage of adults who feel lonely often / ..	P	16+ yrs	2019/20	21.1	8/15	17.0	24.2	22.3			
	C15 - Proportion of the population meeting the recommended ..	P	16+ yrs	2019/20	57.0	10/15	61.3	53.2	55.4			
	C16 - Percentage of adults (aged 18+) classified as overweigh..	P	18+ yrs	2019/20	62.7	8/15	56.3	66.8	62.8			
	C17a - Percentage of physically active adults	P	19+ yrs	2019/20	67.6	12/15	73.0	66.1	66.4			
	C18 - Smoking Prevalence in adults (18+) - current smokers (APS) (2020 definition)	P	18+ yrs	2020		9.3	2/15	8.0	13.7	12.1		
		F	18+ yrs	2020		7.1	2/15	6.7	12.9	10.4		
		M	18+ yrs	2020		11.5	3/15	9.4	15.7	13.8		
	C21 - Admission episodes for alcohol-related conditions (Narrow): New method. This indicator uses a new set of attributable fractions, and so differ from that originally published.	P	All ages	2020/21		403.7	5/14	343.3	586.7	455.9		
		F	All ages	2020/21		318.1	6/14	223.7	515.0	321.9		
		M	All ages	2020/21		500.4	3/14	476.0	712.4	603.2		
	C24b - Cancer screening coverage - cervical cancer (aged 25 to ..	F	25-49 yrs	2021		74.2	5/15	78.2	66.2	68.0		
	C24d - Cancer screening coverage - bowel cancer	P	60-74 yrs	2021		70.4	3/15	71.1	62.2	65.2		
	D02a - Chlamydia detection rate / 100,000 aged 15 to 24	P	15-24 yrs	2020		1,129.9	9/15	1,583.5	588.2	1,408.4		
	D06a - Population vaccination coverage - Flu (aged 65+)	P	65+ yrs	2020/21		83.5	11/16	85.4	80.1	80.9		
D06c - Population vaccination coverage - Shingles vaccination..	P	71	2019/20		48.8	11/16	56.7	41.7	48.2			
HIV testing coverage, total (%)	P	All ages	2020		42.6	5/15	61.2	22.1	46.0			

Statistical Significance compared to England or Benchmark:

Better  
 Worse  
 Higher  
 Similar  
 Not compared  
 Lower





Direction of Travel:

Decreasing  
 Decreasing and getting better  
 Decreasing and getting worse  
 Increasing  
 Increasing and getting better  
 Increasing and getting worse  
 No significant change  
 Cannot be calculated

Data Source: Office for Health Improvement & Disparities  
<https://fingertips.phe.org.uk/>

Produced by Business Intelligence Service  
 Updated February 2022

## Leicestershire Joint Health and Wellbeing Strategy - Staying Healthy, Safe and Well (3)

Priority	Indicator	Time period	Polarity	Leicestershire value	National or benchmark value	Unit	Comments	Direction of travel since last time period
Building Strong Foundations	Hate Incidents recorded	Nov 20 to Dec 21	Low	1492	Null	Null	Null	
Enabling Healthy Choices and Environments	Vaccination coverage - Covid - 12+ Booster and Dose 3	Jan-22	High	66.9	64.5	%	Higher than national	
	Vaccination coverage - Covid - 12+ Dose 1	Jan-22	High	87	91.0	%	Lower than national	
	Vaccination coverage - Covid - 12+ Dose 2	Jan-22	High	82	83.9	%	Lower than national	

Direction of travel Key:

 Decrease

 Increase

 N/A

Produced by Business Intelligence Service. Updated February 2022.

# Leicestershire Joint Health and Wellbeing Strategy - Living and Supported Well (1)

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied).

Indicator				Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG	
Up Scaling Prevention and Self Care	C29 - Emergency hospital admissions due to falls in people aged 65 and over	P	65+ yrs	2020/21	1,640.6	1/15	1,640.6	2,279.8	2,023.0		
		F	65+ yrs	2020/21	1,864.3	1/15	1,864.3	2,595.6	2,284.8		
		M	65+ yrs	2020/21	1,366.9	2/15	1,342.3	1,865.4	1,667.3		
	E13 - Hip fractures in people aged 65 and over	P	65+ yrs	2020/21	671.8	14/15	472.7	686.7	528.7		
		F	65+ yrs	2020/21	804.2	14/15	567.9	842.3	638.0		
		M	65+ yrs	2020/21	483.1	15/15	329.3	483.1	378.9		
	E14 - Excess winter deaths index	P	All ages	Aug 2019 - Jul 2020	17.4	12/15	12.6	24.7	17.4		
		F	All ages	Aug 2019 - Jul 2020	17.4	10/15	8.8	25.3	17.3		
		M	All ages	Aug 2019 - Jul 2020	17.3	9/15	12.0	26.4	17.5		

Statistical Significance compared to England or Benchmark:









- Better
- Similar
- Not compared
- Worse
- Lower
- Higher

Direction of Travel:

- Decreasing
- Decreasing and getting better
- Decreasing and getting worse
- Increasing
- Increasing and getting better
- Increasing and getting worse
- No significant change
- Cannot be calculated



## Leicestershire Joint Health and Wellbeing Strategy - Living and Supported Well (2)

Priority	Indicator	Time period	Polarity	Leicestershire value	National or benchmark value	Unit	Comments	Direction of travel since last time period
Up Scaling Prevention and Self Care	emergency admissions for acute conditions that should not require hospital admission	19/20	Low	1193.8	1409.4	rate per 100,000 pop	Lower than national	
	Number of people with 1-4 LTC's registered with a practice situated in the County	Jan-22	N/a	299807	Null	Count	Null	
	Number of people with 5 or more LTC's registered with a practice situated in the County	Jan-22	Low	68088	Null	Count	Null	
	Number of people with no LTC's registered with a practice situated in the County	Jan-22	High	317739	Null	Count	Any change will be long term	
Effective management of frailty and complex care	BCF indicator: Res and nursing admissions of people aged 65+	2020/21	N/a	528.7	498.2	rate per 100,000 pop	Null	
	BCF indicator/NHS OF: Proportion of older people (65+) who were still at home 91 days after discharge from hospital into rehab/reablement	2020/21	High	84.7	79.0	%	Null	
	Home First Outcome: 2 hour urgent community response compliance	Y2D Apr-Nov 2021/22	High	69.3	80.0	%	Value for LLR, not Leicestershire County	
	Home First target: 2 day reablement compliance	Y2D Apr-Nov 2021/22	High	83.2	80.0	%	Value for LLR, not Leicestershire County	

Direction of travel Key:

 Decrease

 Increase

 N/A

Produced by Business Intelligence Service. Updated February 2022.

# Leicestershire Joint Health and Wellbeing Strategy - Dying Well

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied).

Indicator				Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG	
Normalising end of life care plan	Percentage of deaths that occur at home	P	All ages	2020	30.2	14/15	24.7	32.0	27.4		
	Percentage of deaths that occur in care homes	P	All ages	2020	24.0	4/15	21.2	31.2	23.7		
	Percentage of deaths that occur in hospital	P	All ages	2020	39.7	10/15	34.0	46.6	41.9		

Statistical Significance compared to England or Benchmark:

- Better
- Similar
- Not compared
- Worse
- Lower
- Higher

Direction of Travel:

- Decreasing
- Increasing
- No significant change
- Decreasing and getting better
- Increasing and getting better
- Cannot be calculated
- Decreasing and getting worse
- Increasing and getting worse

# Leicestershire Joint Health and Wellbeing Strategy - Cross Cutting Theme: Mental Health

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied).

Indicator				Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
B06b - Adults in contact with secondary mental health services who live in stable and appropriate accommodation	P	18-69 yrs	2019/20	48.0	11/16	81.0	30.0	58.0	—	●
	F	18-69 yrs	2020/21	48.0	13/16	83.0	25.0	59.0	—	●
	M	18-69 yrs	2020/21	45.0	13/16	78.0	25.0	56.0	—	●
B08c - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate	P	18-69 yrs	2019/20	74.5	14/16	45.9	75.4	67.2	—	●
	F	18-69 yrs	2019/20	70.7	15/16	40.4	71.5	61.2	—	●
	M	18-69 yrs	2019/20	77.4	13/16	51.7	79.5	72.2	—	●
B19 - Loneliness: Percentage of adults who feel lonely often / ..	P	16+ yrs	2019/20	21.1	8/15	17.0	24.2	22.3	—	●
C12 - Percentage of looked after children whose emotional we..	P	5-16 yrs	2019/20	35.9	4/16	25.8	52.7	37.4	▼	●
C28d - Self-reported wellbeing - people with a high anxiety sco..	P	16+ yrs	2020/21	22.5	8/15	20.4	26.3	24.2	—	●
E10 - Suicide rate	P	10+ yrs	2018 - 20	8.4	1/15	8.4	14.3	10.4	—	●
	F	10+ yrs	2018 - 20	4.7	6/15	3.6	7.1	5.0	—	●
	M	10+ yrs	2018 - 20	12.2	1/15	12.2	22.6	15.9	—	●
E15 - Estimated dementia diagnosis rate (aged 65 and over)	P	65+ yrs	2021	61.2	5/16	67.7	50.5	61.6	▶	●
Estimated number of children and young people with mental d..	P	5-17 yrs	2017/18	12,440..	7/16	9,914.4	27,062.5	Null	—	●
Estimated prevalence of common mental disorders: % of popu..	P	16+ yrs	2017	13.7	2/16	13.5	16.2	16.9	—	●
Estimated prevalence of common mental disorders: % of popu..	P	65+ yrs	2017	8.6	3/16	8.5	10.2	10.2	—	●
Hospital admissions for mental health conditions	P	<18 yrs	2019/20	109.3	13/16	51.3	139.4	89.5	▲	●
	F	<18 yrs	2019/20	138.1	12/16	52.9	184.0	111.2	▲	●
	M	<18 yrs	2019/20	82.1	13/16	49.6	96.7	68.7	▲	●
School pupils with social, emotional and mental health needs: ..	P	School age	2020	2.2	3/16	1.9	3.3	2.7	▲	●
Hospital admissions as a result of self-harm (10-24 years)	P	10-24 yrs	2019/20	255.7	1/16	255.7	905.7	439.2	▼	●
	F	10-24 yrs	2019/20	404.7	1/16	404.7	1,466.7	694.8	▶	●
	M	10-24 yrs	2019/20	120.5	1/16	120.5	387.1	196.6	▶	●

Statistical Significance compared to England or Benchmark:

- Better
- Worse
- Higher
- Similar
- Not compared
- Lower

Direction of Travel:

- ▼ Decreasing
- ▼ Decreasing and getting better
- ▼ Decreasing and getting worse
- ▲ Increasing
- ▲ Increasing and getting better
- ▲ Increasing and getting worse
- ▶ No significant change
- Cannot be calculated

## Leicestershire Joint Health and Wellbeing Strategy - Cross Cutting Theme: Health Inequalities

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied).

Indicator				Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
A01a - Healthy life expectancy at birth	F	All ages	2017 - 19	63.6	12/16	69.4	61.3	63.5		
	M	All ages	2017 - 19	63.5	11/16	68.2	61.1	63.2		
A01b - Life expectancy at birth	F	All ages	2018 - 20	84.1	8/15	84.9	82.6	83.1		
	M	All ages	2018 - 20	80.5	6/15	81.5	79.2	79.4		
A02a - Inequality in life expectancy at birth	F	All ages	2018 - 20	4.9	3/15	4.3	7.8	7.9		
	M	All ages	2018 - 20	6.0	2/15	5.7	9.3	9.7		








Statistical Significance compared to England or Benchmark:

- Better
- Similar
- Not compared
- Worse
- Lower
- Higher

Direction of Travel:

- Decreasing
- Decreasing and getting better
- Decreasing and getting worse
- Cannot be calculated
- Increasing
- Increasing and getting better
- Increasing and getting worse
- No significant change

## Leicestershire Joint Health and Wellbeing Strategy - Cross Cutting Theme: COVID Recovery

Priority	Indicator	Time period	Polarity	Leicestershire value	National or benchmark value	Unit	Comments	Direction of travel since last time period
Covid Recovery	Covid Vaccination Uptake - Dose 1 age 12+	Jan-22	High	87	91.0	%	Lower than national	
	Covid Vaccination Uptake - Dose 2 age 12+	Jan-22	High	82	83.9	%	Lower than national	
	Covid Vaccination Uptake - Boosters age 12+	Jan-22	High	66.9	64.5	%	Higher than national	
	Percentage worried about their economic wellbeing - Community Insight Survey	Q3 2021 to Q2 2022	Low	34.9	Null	%	Null	
	Total deaths due to covid since start of pandemic	Week 3 2022	Low	1823	135509.0	Count	Null	
	Total Excess deaths (occurrences) since start of pandemic	Week 3 2022	Low	1494	113527.0	Count	Null	
	Total Hopital Admissons since start of pandemic	Week 3 2022	Low	4585	595998.0	Count	Null	

Direction of travel Key:

 Decrease

 Increase

 N/A

Produced by Business Intelligence Service. Updated February 2022.

This page is intentionally left blank