



Joint Health and Wellbeing Strategy: Outcomes Summary Report

Leicestershire

May 2022

Victoria Rice

Research & Insight Manager-Public Health

Brydon Hurst

Research & Insight Officer

Business Intelligence Service
Chief Executive's Department
Leicestershire County Council
County Hall, Glenfield
Leicester LE3 8RA

Tel 0116 305 1585

Email victoria.rice@leics.gov.uk
brydon.hurst@leics.gov.uk

Produced by the Business Intelligence Service at Leicestershire County Council.

Whilst every effort has been made to ensure the accuracy of the information contained within this report, Leicestershire County Council cannot be held responsible for any errors or omission relating to the data contained within the report.

Best Start for Life

Performance Summary

- Out of all the comparable indicators presented for best start in life, 11 are red, eight are amber and 24 are green.
- Looking at trend over the last five time periods where presented, two indicators are decreasing and getting worse, six indicators are increasing and getting worse, 14 indicators have no significant change, three indicators are decreasing and getting better, and four indicators are increasing and getting better.
- Of the 24 green indicators, Leicestershire ranks 1st (best performing) when compared to its similar neighbours for the following indicators:
 - o Hospital admissions as a result of self-harm (10-24 years) - Persons
 - o Hospital admissions as a result of self-harm (10-24 years) - Females
 - o Hospital admissions as a result of self-harm (10-24 years) - Males
- There are currently eight indicators where, when compared to similar areas, Leicestershire performs in the bottom three (worse performing):
 - o Caesarean section %
 - o A&E attendances (Under 1 year) - Persons
 - o A&E attendances (Under 1 year) - Males
 - o School readiness: Percentage of children with free school meal status achieving a good level of development at the end of reception - Persons
 - o School readiness: Percentage of children with free school meal status achieving a good level of development at the end of reception - Males
 - o Child development - percentage of children achieving a good level of development at 2-2 ½ years
 - o Child development - percentage of children achieving the expected level in communication skills at 2-2 ½ years
 - o Child development - percentage of children achieving the expected level in personal-social skills at 2-2 ½ years

Leicestershire Joint Health and Wellbeing Strategy - Best Start for Life (1)

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied).

Indicator					Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
	Caesarean section %	F	All ages	2020/21	34.3	14/16	27.2	37.4	32.5	—	●
	E01 - Infant mortality rate	P	<1 yr	2018 - 20	3.3	6/15	1.9	5.1	3.9	—	●
	Neonatal mortality and stillbirth rate	P	<28 days	2019	5.8	12/16	3.9	9.9	6.6	▶	●
1001 Critical Days	A&E attendances (under 1 year)	P	<1 yr	2019/20	991.0	14/15	547.8	1,020.6	1,000.1	▲	●
		F	<1 yr	2019/20	870.0	12/15	490.7	940.7	908.3	—	●
		M	<1 yr	2019/20	1,104.0	15/15	600.7	1,104.0	1,075.0	—	●
	C04 - Low birth weight of term babies	P	>=37 weeks g..	2020	2.2	6/16	2.0	2.9	2.9	▶	●
	C06 - Smoking status at time of delivery	F	All ages	2020/21	10.5	9/16	6.8	13.8	9.6	▶	●
	C07 - Proportion of New Birth Visits (NBVs) completed within ...	P	<14 days	2020/21	86.8	11/16	97.3	78.2	88.0	—	●
	D03c - Population vaccination coverage - Dtap/ IPV/ Hib (1 ye..	P	1 yr	2020/21	96.3	2/16	96.3	93.8	92.0	▼	●
School Readiness	B02a - School readiness: percentage of children achieving a good level of development at the end of Reception	P	5 yrs	2018/19	72.1	6/16	77.0	70.5	71.8	▲	●
		F	5 yrs	2018/19	78.6	8/16	83.1	77.3	78.4	▲	●
		M	5 yrs	2018/19	65.7	8/16	71.2	62.7	65.5	▲	●
	B02a - School Readiness: percentage of children with free school meal status achieving a good level of development at the end of Reception	P	5 yrs	2018/19	48.7	15/16	57.6	47.5	56.5	▲	●
		F	5 yrs	2018/19	57.5	13/16	65.4	56.0	64.5	▶	●
		M	5 yrs	2018/19	40.1	14/16	50.7	37.9	48.9	▶	●
	C08a - Child development: percentage of children achieving a ..	P	2-2.5 yrs	2020/21	70.3	15/15	91.6	70.3	82.9	—	●
	C09a - Reception: Prevalence of overweight (including obesity)	P	4-5 yrs	2019/20	19.0	3/15	18.6	26.1	23.0	▼	●
C09b - Year 6: Prevalence of overweight (including obesity)	P	10-11 yrs	2019/20	30.6	4/15	28.8	33.8	35.2	▶	●	
	C08b - Child development: percentage of children achieving th..	P	2-2.5 yrs	2020/21	78.3	14/15	95.4	74.0	86.8	—	●
	C08c - Child development: percentage of children achieving th..	P	2-2.5 yrs	2020/21	78.8	14/14	97.1	78.8	90.2	—	●

Statistical Significance compared to England or Benchmark:

■ Better
■ Worse
■ Higher
■ Similar
■ Not compared
■ Lower

Direction of Travel:

▼ Decreasing
▼ Decreasing and getting better
▼ Decreasing and getting worse
▲ Increasing
▲ Increasing and getting better
▲ Increasing and getting worse
▶ No significant change
— Cannot be calculated

Leicestershire Joint Health and Wellbeing Strategy - Best Start for Life (2)

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied).

Indicator					Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
Preparing for Life	28 - Average Attainment 8 score	P	15-16 yrs	2020/21	50.9	9/16	53.7	49.0	50.9	▬	●
	A&E attendances (0-4 years)	P	0-4 yrs	2019/20	571.9	9/16	412.3	701.9	659.8	▶	●
		F	0-4 yrs	2019/20	507.4	9/16	367.1	647.0	594.3	▶	●
		M	0-4 yrs	2019/20	631.4	9/16	455.2	754.0	714.3	▲	●
	A&E attendances (<18)	P	<18 yrs	2019/20	323.1	5/15	271.2	457.2	415.6	▶	●
		F	<18 yrs	2019/20	301.8	5/15	254.4	439.1	389.7	▬	●
		M	<18 yrs	2019/20	343.0	4/15	287.1	474.4	435.1	▬	●
	CO2a - Under 18s conception rate / 1,000	F	<18 yrs	2020	10.8	5/15	6.5	13.2	13.0	▶	●
	Hospital admissions as a result of self-harm (10-24 years)	P	10-24 yrs	2020/21	245.9	1/16	245.9	783.0	421.9	▼	●
		F	10-24 yrs	2020/21	403.5	1/16	403.5	1,293.7	681.7	▼	●
M		10-24 yrs	2020/21	101.7	1/16	101.7	306.6	175.2	▶	●	
Preparing for Life	B05 - 16-17 year olds not in education, employment or training (NEET) or whose activity is not known	P	16-17 yrs	2020	4.7	9/16	3.2	13.8	5.5	▶	●
		F	16-17 yrs	2020	3.3	5/16	2.4	11.7	4.6	▶	●
		M	16-17 yrs	2020	4.6	7/16	3.6	13.8	6.3	▶	●
	Children in care	P	<18 yrs	2021	49.0	5/16	34.0	73.0	67.0	▲	●
	D04e - Population vaccination coverage - HPV vaccination coverage for one dose (12-13 year old)	F	12-13 yrs	2020/21	79.3	11/16	92.5	41.7	76.7	▼	●
		M	12-13 yrs	2020/21	70.8	13/16	88.3	39.5	71.0	▬	●
	School pupils with social, emotional and mental health needs: % of school pupils with social, emotional and mental health needs	P	Primary schoo..	2021	2.2	7/16	1.7	3.1	2.4	▲	●
			School age	2021	2.3	3/16	2.0	3.5	2.8	▲	●
			Secondary sch..	2021	2.4	4/16	1.8	4.0	2.9	▲	●
		F	School age	2021	1.4	7/16	1.1	2.0	1.6	▬	●
M		School age	2021	3.2	3/16	2.9	4.9	3.9	▬	●	

Statistical Significance compared to England or Benchmark:

■ Better
■ Worse
■ Higher
■ Similar
■ Not compared
■ Lower

Direction of Travel:

▼ Decreasing
▼ Decreasing and getting better
▼ Decreasing and getting worse
▲ Increasing
▲ Increasing and getting better
▲ Increasing and getting worse
▶ No significant change
▬ Cannot be calculated

Leicestershire Joint Health and Wellbeing Strategy - Best Start For Life (3)

Priority	Indicator	Time period	Polarity	Leicestershire value	National or benchmark value	Unit	Comments	Direction of travel since last time period
School readiness	Percentage of 2 year old children benefitting from funded early education	Mar-22	High	76.5	Null	%	Higher than national	
	Percentage of pupils with SEN or EHC Plan (Primary)	2021	Low	2.2	2.1	%	Higher than national	
Preparing for Life	Covid vaccination uptake 12-15 year olds - Dose 1	Apr-22	High	65	53.8	%	Higher than national	
	Covid vaccination uptake 16-17 year olds - Dose 1	Apr-22	High	76.2	65.7	%	Higher than national	
	Emergency admissions for children with lower respiratory tract infections (LRTIs)	20/21	Low	43.9	76.3	rate per 100,000 pop	Lower than national	
	Tooth extractions due to decay for children admitted as inpatients to hospital, aged 10 years and under	20/21	Low	Null	161.3	rate per 100,000 pop	Lower than national	
	Unplanned hospitalisation for asthma, diabetes and epilepsy in under 19s	20/21	Low	124.7	175.4	rate per 100,000 pop	Lower than national	

Direction of travel Key:

 Decrease

 Increase

 N/A

Produced by Business Intelligence Service. Updated May 2022.

Staying Healthy, Safe and Well

Note: The figures for "Child Poverty, Income deprivation affecting children index (IDACI)" are unavailable and therefore this indicator is not presented.

Performance Summary

- Out of all the comparable indicators presented for staying healthy, safe and well, 10 are red, 11 are amber and 12 are green.
- Looking at trend over the last five time periods where presented, two indicators are decreasing and getting worse, one indicator is increasing and getting worse, 10 indicators have no significant change, two indicators are increasing and getting better, and one indicator is increasing.
- Of the 12 green indicators, Leicestershire did not rank 1st (best performing) when compared to its similar neighbours for any indicators.
- There are currently two indicators where, when compared to similar areas, Leicestershire performs in the bottom three (worse performing):
 - o Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate - Persons
 - o Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate - Females

Leicestershire Joint Health and Wellbeing Strategy - Staying Healthy, Safe and Well (1)

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied).

Indicator				Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG	
B06b - Adults in contact with secondary mental health services who live in stable and appropriate accommodation	P	18-69 yrs	2020/21	46.0	12/15	81.0	25.0	58.0	▬	●	
	F	18-69 yrs	2020/21	48.0	12/15	83.0	25.0	59.0	▬	●	
	M	18-69 yrs	2020/21	45.0	12/15	78.0	25.0	56.0	▬	●	
	B09b - Sickness absence - the percentage of working days lost..	P	16+ yrs	2018 - 20	1.0	9/16	0.6	1.5	1.0	▬	●
	Percentage of adults walking for travel at least three days pe..	P	16+ yrs	2019/20	11.7	10/16	15.4	10.4	15.1	▬	●
Air pollution: fine particulate matter (historic indicator)	N/A	Not applicable	2020	6.5	9/16	4.9	7.3	6.9	▬	●	
B15a - Homelessness - households owed a duty under the Ho..	N/A	Not applicable	2020/21	6.8	4/15	4.6	13.3	11.3	▬	●	
Building Strong Foundations	B08c - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate	P	18-69 yrs	2019/20	74.5	14/16	45.9	75.4	67.2	▬	●
		F	18-69 yrs	2019/20	70.7	15/16	40.4	71.5	61.2	▬	●
		M	18-69 yrs	2019/20	77.4	13/16	51.7	79.5	72.2	▬	●
	B08d - Percentage of people in employment	P	16-64 yrs	2020/21	76.9	7/15	79.3	72.6	75.1	▶	●
		F	16-64 yrs	2020/21	74.2	7/15	78.5	68.6	71.8	▶	●
		M	16-64 yrs	2020/21	79.5	10/15	84.7	75.0	78.5	▶	●
	B12b - Violent crime - violence offences per 1,000 population	P	All ages	2020/21	22.3	9/15	18.7	33.6	29.5	▲	●
	B17 - Fuel poverty (low income, high cost methodology)	N/A	Not applicable	2018	9.4	6/16	6.8	10.7	10.3	▶	●
	Percentage of adults cycling for travel at least three days per ..	P	16+ yrs	2019/20	2.3	4/16	7.4	1.0	2.3	▬	●

Statistical Significance compared to England or Benchmark:

■ Better
■ Worse
■ Higher
■ Similar
■ Not compared
■ Lower

Direction of Travel:

▼ Decreasing
▼ Decreasing and getting better
▼ Decreasing and getting worse
▲ Increasing
▲ Increasing and getting better
▲ Increasing and getting worse
▶ No significant change
▬ Cannot be calculated

Note: The figures for "Child Poverty, Income deprivation affecting children index (IDACI)" are unavailable and therefore this indicator is not presented.

Leicestershire Joint Health and Wellbeing Strategy - Staying Healthy, Safe and Well (2)

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied).

Indicator					Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
C16 - Percentage of adults (aged 18+) classified as overweigh..	P	18+ yrs	2020/21		64.9	10/15	58.1	69.2	63.5	—	●
	C17a - Percentage of physically active adults	P	19+ yrs	2020/21	66.6	12/15	72.5	65.2	65.9	—	●
	C19a - Successful completion of drug treatment - opiate users	P	18+ yrs	2020	6.7	3/16	9.5	4.0	4.7	▶	●
	C24a - Cancer screening coverage - breast cancer	F	53-70 yrs	2021	64.9	11/15	73.1	58.7	64.1	▼	●
	C26b - Cumulative percentage of the eligible population aged ..	P	40-74 yrs	2016/17 - 20/..	49.8	5/16	62.2	33.2	46.5	—	●
	Over 25s abortion rate/ 1000	F	25+ yrs	2020	14.1	6/16	12.1	19.2	17.6	▲	●
Enabling Healthy Choices and Environments	B19 - Loneliness: Percentage of adults who feel lonely often/ ..	P	16+ yrs	2019/20	21.1	8/15	17.0	24.2	22.3	—	●
	C15 - Proportion of the population meeting the recommended ..	P	16+ yrs	2019/20	57.0	10/15	61.3	53.2	55.4	—	●
	C18 - Smoking Prevalence in adults (18+) - current smokers (APS) (2020 definition)	P	18+ yrs	2020	9.3	2/15	8.0	13.7	12.1	—	●
		F	18+ yrs	2020	7.1	2/15	6.7	12.9	10.4	—	●
		M	18+ yrs	2020	11.5	3/15	9.4	15.7	13.8	—	●
	C21 - Admission episodes for alcohol-related conditions (Narrow): New method. This indicator uses a new set of attributable fractions, and so differ from that originally published.	P	All ages	2020/21	403.7	5/14	343.3	586.7	455.9	▶	●
		F	All ages	2020/21	318.1	6/14	223.7	515.0	321.9	▶	●
		M	All ages	2020/21	500.4	3/14	476.0	712.4	603.2	▶	●
	C24b - Cancer screening coverage - cervical cancer (aged 25 to ..	F	25-49 yrs	2021	74.2	5/15	78.2	66.2	68.0	▶	●
	C24d - Cancer screening coverage - bowel cancer	P	60-74 yrs	2021	70.4	3/15	71.1	62.2	65.2	▲	●
	D02a - Chlamydia detection rate/ 100,000 aged 15 to 24	P	15-24 yrs	2020	1,129.9	9/15	1,583.5	588.2	1,408.4	▼	●
	D06a - Population vaccination coverage - Flu (aged 65+)	P	65+ yrs	2020/21	83.5	11/16	85.4	80.1	80.9	▲	●
D06c - Population vaccination coverage – Shingles vaccination..	P	71	2019/20	48.8	11/16	56.7	41.7	48.2	—	●	
HIV testing coverage, total (%)	P	All ages	2020	42.6	5/15	61.2	22.1	46.0	▶	●	

Statistical Significance compared to England or Benchmark:

■ Better
■ Worse
■ Higher
■ Similar
■ Not compared
■ Lower

Direction of Travel:

▼ Decreasing
▼ Decreasing and getting better
▼ Decreasing and getting worse
▲ Increasing
▲ Increasing and getting better
▲ Increasing and getting worse
▶ No significant change
— Cannot be calculated

Leicestershire Joint Health and Wellbeing Strategy - Staying Healthy, Safe and Well (3)

Priority	Indicator	Time period	Polarity	Leicestershire value	National or benchmark value	Unit	Comments	Direction of travel since last time period
Building Strong Foundations	Hate Incidents recorded	Feb 21 to Mar 22	Low	1606	Null	Count	Null	
Enabling Healthy Choices and Environments	Vaccination coverage - Covid - 12+ Dose 1	May-22	High	87.4	92.5	%	Lower than national	
	Vaccination coverage - Covid - 12+ Dose 2	May-22	High	84	86.5	%	Lower than national	
	Vaccination coverage - Covid - 12+ Booster and Dose 3	May-22	High	69	67.6	%	Higher than national	

Direction of travel Key:

 Decrease

 Increase

 N/A

Produced by Business Intelligence Service. Updated May 2022.

Living and supported well

Performance Summary

- Out of all the comparable indicators presented for living and supported well, three are red, three are amber and three are green.
- Looking at trend over the last five time periods where presented, six indicators have no significant trend.
- Of the three green indicators, Leicestershire ranks 1st (best performing) when compared to its similar neighbours for the following indicators:
 - o Emergency Hospital admissions due to falls in people aged 65 and over - Persons
 - o Emergency Hospital admissions due to falls in people aged 65 and over - Females
- There are currently three indicators where, when compared to similar areas, Leicestershire performs in the bottom three (worse performing):
 - o Hip fractures in people aged 65 and over - Persons
 - o Hip fractures in people aged 65 and over - Females
 - o Hip fractures in people aged 65 and over - Males

Leicestershire Joint Health and Wellbeing Strategy - Living and Supported Well

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied).

Indicator				Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG	
Up scaling prevention and self care	C29 - Emergency hospital admissions due to falls in people aged 65 and over	P	65+ yrs	2020/21	1,640.6	1/15	1,640.6	2,279.8	2,023.0		
		F	65+ yrs	2020/21	1,864.3	1/15	1,864.3	2,595.6	2,284.8		
		M	65+ yrs	2020/21	1,366.9	2/15	1,342.3	1,865.4	1,667.3		
	E13 - Hip fractures in people aged 65 and over	P	65+ yrs	2020/21	671.8	14/15	472.7	686.7	528.7		
		F	65+ yrs	2020/21	804.2	14/15	567.9	842.3	638.0		
		M	65+ yrs	2020/21	483.1	15/15	329.3	483.1	378.9		
	E14 - Excess winter deaths index	P	All ages	Aug 2019 - Jul 2020	17.4	12/15	12.6	24.7	17.4		
		F	All ages	Aug 2019 - Jul 2020	17.4	10/15	8.8	25.3	17.3		
		M	All ages	Aug 2019 - Jul 2020	17.3	9/15	12.0	26.4	17.5		

Statistical Significance compared to England or Benchmark:

- Better
- Worse
- Similar
- Not compared
- Higher
- Lower

Direction of Travel:

- Decreasing
- Decreasing and getting better
- Decreasing and getting worse
- Increasing
- Increasing and getting better
- Increasing and getting worse
- No significant change
- Cannot be calculated

Leicestershire Joint Health and Wellbeing Strategy - Living and Supported Well (2)

Priority	Indicator	Time period	Polarity	Leicestershire value	National or benchmark value	Unit	Comments	Direction of travel since last time period
Industrialising Prevention and Self Care	Emergency admissions for acute conditions that should not require hospital admission	20/21	Low	711.3	849.9	rate per 100,000 pop	Lower than national	
	Number of people with 1-4 LTC's registered with a practice situated in the County	Apr-22	N/a	301799	Null	Count	Null	
	Number of people with 5 or more LTC's registered with a practice situated in the County	Apr-22	Low	70388	Null	Count	Null	
	Number of people with no LTC's registered with a practice situated in the County	Apr-22	High	317813	Null	Count	Any change will be long term	
Effective management of frailty and complex care	BCF indicator: Res and nursing admissions of people aged 65+	2021/22	N/a	576.1	498.2	rate per 100,000 pop	Null	
	BCF indicator/NHS OF: Proportion of older people (65+) who were still at home 91 days after discharge from hospital into rehab/reablement	Mar-22	High	89.4	85	%	Null	
	Home First Outcome: 2 hour urgent community response compliance	Y2D Apr-Feb 2021/22	High	69.8	70	%	Value for LLR, not Leicestershire County	
	Home First target: 2 day reablement compliance	Y2D Apr-Feb 2021/22	High	85	80	%	Value for LLR, not Leicestershire County	

Direction of travel Key:

 Decrease

 Increase

 N/A

Produced by Business Intelligence Service. Updated May 2022.

Dying Well

Performance Summary

- Out of all the comparable indicators presented for dying well, one indicator is significantly higher, one indicator is similar, and one indicator is significantly lower.
- Looking at trend over the last five time periods where presented, one indicator is significantly increasing, one indicator is significantly decreasing, and one indicator has no significant trend.

Leicestershire Joint Health and Wellbeing Strategy - Dying Well

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied).

Indicator					Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
Normalising end of life care plan	Percentage of deaths that occur at home	P	All ages	2020	30.2	14/15	24.7	32.0	27.4	▲	●
	Percentage of deaths that occur in care homes	P	All ages	2020	24.0	4/15	21.2	31.2	23.7	▶	●
	Percentage of deaths that occur in hospital	P	All ages	2020	39.7	10/15	34.0	46.6	41.9	▼	●

Statistical Significance compared to England or Benchmark:

- Better
- Worse
- Higher
- Similar
- Not compared
- Lower

Direction of Travel:

- ▼ Decreasing
- ▼ Decreasing and getting better
- ▼ Decreasing and getting worse
- ▲ Increasing
- ▲ Increasing and getting better
- ▲ Increasing and getting worse
- ▶ No significant change
- Cannot be calculated

Cross Cutting Themes:

Mental Health

Performance Summary

Note: The figures for "Estimated number of children and young people with mental disorders - aged 5 to 17" are unavailable and therefore this indicator is not presented.

- Out of all the comparable indicators presented for supporting mental health, seven are red, six are amber and 13 are green.
- Looking at trend over the last five time periods where presented, three indicators are increasing and getting worse, six indicators have no significant trend, and two indicators are decreasing and getting better.
- Of the 13 green indicators, Leicestershire ranks 1st (best performing) when compared to its similar neighbours for the following indicators:
 - o Suicide rate - Persons
 - o Suicide rate - Males
 - o Hospital admissions as a result of self-harm (10-24 years) - Persons
 - o Hospital admissions as a result of self-harm (10-24 years) - Females
 - o Hospital admissions as a result of self-harm (10-24 years) - Males
 - o Hospital admissions for mental health conditions - Females
- There are currently two indicators where, when compared to similar areas, Leicestershire performs in the bottom three (worse performing):
 - o Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate - Persons
 - o Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate - Females

Leicestershire Joint Health and Wellbeing Strategy - Cross Cutting Theme: Mental Health

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied).

Indicator				Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
B08c - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate	P	18-69 yrs	2019/20	74.5	14/16	45.9	75.4	67.2	—	●
	F	18-69 yrs	2019/20	70.7	15/16	40.4	71.5	61.2	—	●
	M	18-69 yrs	2019/20	77.4	13/16	51.7	79.5	72.2	—	●
B19 - Loneliness: Percentage of adults who feel lonely often / ..	P	16+ yrs	2019/20	21.1	8/15	17.0	24.2	22.3	—	●
C28d - Self-reported wellbeing - people with a high anxiety sco..	P	16+ yrs	2020/21	22.5	8/15	20.4	26.3	24.2	—	●
E10 - Suicide rate	P	10+ yrs	2018 - 20	8.4	1/15	8.4	14.3	10.4	—	●
	F	10+ yrs	2018 - 20	4.7	6/15	3.6	7.1	5.0	—	●
	M	10+ yrs	2018 - 20	12.2	1/15	12.2	22.6	15.9	—	●
E15 - Estimated dementia diagnosis rate (aged 65 and over)	P	65+ yrs	2021	61.2	5/16	67.7	50.5	61.6	▶	●
Estimated prevalence of common mental disorders: % of popu..	P	16+ yrs	2017	13.7	2/16	13.5	16.2	16.9	—	●
Estimated prevalence of common mental disorders: % of popu..	P	65+ yrs	2017	8.6	3/16	8.5	10.2	10.2	—	●
B06b - Adults in contact with secondary mental health services who live in stable and appropriate accommodation	P	18-69 yrs	2020/21	46.0	13/16	81.0	25.0	58.0	—	●
	F	18-69 yrs	2020/21	48.0	13/16	83.0	25.0	59.0	—	●
	M	18-69 yrs	2020/21	45.0	13/16	78.0	25.0	56.0	—	●
C12 - Percentage of looked after children whose emotional we..	P	5-16 yrs	2020/21	38.1	5/16	28.2	53.7	36.8	▶	●
Hospital admissions as a result of self-harm (10-24 years)	P	10-24 yrs	2020/21	245.9	1/16	245.9	783.0	421.9	▼	●
	F	10-24 yrs	2020/21	403.5	1/16	403.5	1,293.7	681.7	▼	●
	M	10-24 yrs	2020/21	101.7	1/16	101.7	306.6	175.2	▶	●
Hospital admissions for mental health conditions	P	<18 yrs	2020/21	66.3	3/16	54.5	139.3	87.5	▶	●
	F	<18 yrs	2020/21	79.1	1/16	79.1	211.3	124.3	▶	●
	M	<18 yrs	2020/21	54.2	8/16	28.3	83.3	52.5	▶	●
School pupils with social, emotional and mental health needs: % of school pupils with social, emotional and mental health needs	P	Primary schoo..	2021	2.2	7/16	1.7	3.1	2.4	▲	●
		School age	2021	2.3	3/16	2.0	3.5	2.8	▲	●
		Secondary sch..	2021	2.4	4/16	1.8	4.0	2.9	▲	●
	F	School age	2021	1.4	7/16	1.1	2.0	1.6	—	●
	M	School age	2021	3.2	3/16	2.9	4.9	3.9	—	●

Note: The figures for "Estimated number of children and young people with mental disorders - aged 5 to 17" are unavailable and therefore this indicator is not presented.

Statistical Significance compared to England or Benchmark:

■ Better
■ Worse
■ Higher
■ Similar
■ Not compared
■ Lower

Direction of Travel:

▼ Decreasing
▼ Decreasing and getting better
▼ Decreasing and getting worse
▲ Increasing
▲ Increasing and getting better
▲ Increasing and getting worse
▶ No significant change
— Cannot be calculated

Health Inequalities

Performance Summary

- Out of all the comparable indicators presented for health inequalities, two are green and two are amber.
- Of the two green indicators, Leicestershire ranks 8th (best performing) when compared to its similar neighbours for Life expectancy at birth (females) and 6th for Life expectancy at birth (males).
- Of the two amber indicators, Leicestershire ranks 12th (best performing) for both Healthy life expectancy at birth (females) and Healthy life expectancy at birth (males).
- For inequality in life expectancy at birth, Leicestershire ranks 2nd (best performing) when compared to its similar neighbours for males and 3rd for females.

Leicestershire Joint Health and Wellbeing Strategy - Cross Cutting Theme: Health Inequalities

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied).

Indicator				Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
A01a - Healthy life expectancy at birth	F	All ages	2018 - 20	63.6	12/15	69.4	60.0	63.9		
	M	All ages	2018 - 20	62.9	12/15	68.0	61.5	63.1		
A01b - Life expectancy at birth	F	All ages	2018 - 20	84.1	8/15	84.9	82.6	83.1		
	M	All ages	2018 - 20	80.5	6/15	81.5	79.2	79.4		
A02a - Inequality in life expectancy at birth	F	All ages	2018 - 20	4.9	3/15	4.3	7.8	7.9		
	M	All ages	2018 - 20	6.0	2/15	5.7	9.3	9.7		

Statistical Significance compared to England or Benchmark:

- Better
- Worse
- Higher
- Similar
- Not compared
- Lower

Direction of Travel:

- ▼ Decreasing
- ▼ Decreasing and getting better
- ▼ Decreasing and getting worse
- ▲ Increasing
- ▲ Increasing and getting better
- ▲ Increasing and getting worse
- ▶ No significant change
- ▬ Cannot be calculated


COVID recovery

Performance Summary


- **COVID-19 vaccinations (% Uptake)**

The Covid-19 vaccination uptake in Leicestershire is higher than England for Booster/Dose 3 for those aged 12 and over as of 4th May 2022. The percentage uptake for Dose 1 and Dose 2 in Leicestershire is lower in comparison to the national average for those aged 12 and over.

Covid-19 Vaccination Uptake in Leicestershire 12+



Covid-19 Vaccination Uptake in England 12+



Source: Coronavirus (Covid-19) in the UK dashboard (<https://coronavirus.data.gov.uk/>)

- **COVID-19 Hospital Admissions at University Hospitals of Leicester (UHL)****

From March 2020 to April 2022, there have been a total of 5,789 hospital admissions with Covid-19 at UHL from Leicestershire residents since the start of the pandemic. Out of the 5,789 admissions, 70% were in those aged over 60 and 30% were in those aged under 60. It is important to note that Leicestershire residents would also attend other hospitals in other counties.

- **COVID-19 Deaths*****

As of week 16 in 2022, there have been a total of 1,951 Covid-19 deaths in Leicestershire. Of the total deaths involving Covid-19 in Leicestershire, 1,333 (68.3%) were in a hospital setting and 464 (23.8%) were in a care home setting.

Since the beginning of the pandemic (week 12, 2020) there have been a total of 14,785 deaths (all causes) in Leicestershire.

Based on the average mortality data for 2015-19, we would expect 13,206 deaths in Leicestershire for this period. This reveals an excess of 1,580 deaths from any cause in Leicestershire during this period.

Leicestershire Joint Health and Wellbeing Strategy - Cross Cutting Theme: COVID Recovery

Priority	Indicator	Time period	Polarity	Leicestershire value	National or benchmark value	Unit	Comments	Direction of travel since last time period
Covid Recovery	Covid Vaccination Uptake - Dose 1 age 12+	May-22	High	87.4	92.5	%	Lower than national	
	Covid Vaccination Uptake - Dose 2 age 12+	May-22	High	84	86.5	%	Lower than national	
	Covid Vaccination Uptake - Boosters age 12+	May-22	High	69	67.6	%	Higher than national	
	Percentage worried about their economic wellbeing - Community Insight Survey	Q3 2022	Low	28.3	Null	%	Null	
	Total Hospital Admissions since start of pandemic	Week 17 2022	Low	5789	Null	Count	Null	
	Total deaths due to covid since start of pandemic	Week 16 2022	Low	1951	Null	Count	Null	
	Total Excess deaths (occurrences) since start of pandemic	Week 16 2022	Low	1580	Null	Count	Null	

Direction of travel Key:

-  Decrease
-  Increase
-  N/A

Produced by Business Intelligence Service. Updated May 2022.

Appendix 1

Similar areas to Leicestershire

The Chartered Institute of Public Finance and Accountancy (CIPFA) Nearest Neighbours model seeks to measure similarity between Local Authorities. The nearest neighbours to Leicestershire are listed below.

Nearest CIPFA neighbours to Leicestershire available from fingertips include:

- Worcestershire
- Staffordshire
- Nottinghamshire
- Warwickshire
- Derbyshire
- Somerset
- Hampshire
- Suffolk
- Gloucestershire
- Essex
- North Yorkshire
- Cambridgeshire
- Oxfordshire
- Northamptonshire
- West Sussex

If you require information contained in this leaflet in another version e.g. large print, Braille, tape or alternative language please telephone: 0116 305 6803, Fax: 0116 305 7271 or Minicom: 0116 305 6160.

જો આપ આ માહિતી આપની ભાષામાં સમજવામાં થોડી મદદ ઇચ્છતાં હો તો 0116 305 6803 નંબર પર ફોન કરશો અને અમે આપને મદદ કરવા યત્ન કરીશું.

ਜੇਕਰ ਤੁਹਾਨੂੰ ਇਸ ਜਾਣਕਾਰੀ ਨੂੰ ਸਮਝਣ ਵਿਚ ਕੁਝ ਮਦਦ ਚਾਹੀਦੀ ਹੈ ਤਾਂ ਕਿਰਪਾ ਕਰਕੇ 0116 305 6803 ਨੰਬਰ ਤੇ ਫੋਨ ਕਰੋ ਅਤੇ ਅਸੀਂ ਤੁਹਾਡੀ ਮਦਦ ਲਈ ਕਿਸੇ ਦਾ ਪ੍ਰਬੰਧ ਕਰ ਦਵਾਂਗੇ।

এই তথ্য নিজের ভাষায় বুঝার জন্য আপনার যদি কোন সাহায্যের প্রয়োজন হয়, তবে 0116 305 6803 এই নম্বরে ফোন করলে আমরা উপযুক্ত ব্যক্তির ব্যবস্থা করবো।

اگر آپ کو یہ معلومات سمجھنے میں کچھ مدد درکار ہے تو براہ مہربانی اس نمبر پر کال کریں
0116 305 6803 اور ہم آپ کی مدد کے لئے کسی کا انتظام کر دیں گے۔

假如閣下需要幫助，用你的語言去明白這些資訊，請致電 0116 305 6803，我們會安排有關人員為你提供幫助。

Jeżeli potrzebujesz pomocy w zrozumieniu tej informacji w Twoim języku, zadzwoń pod numer 0116 305 6803, a my Ci dopomożemy.

Business Intelligence Service
Chief Executive's Department
Leicestershire County Council
County Hall
Glenfield
Leicester
LE3 8RA
ri@leics.gov.uk
www.lsr-online.org